# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S35 | 2 | 10/171974 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 14:14 |
| S36 | 58893 | "429".clas. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 14:31 |
| S37 | 3 | S36 and calculat$3 with output power with product with current with output voltage | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 14:32 |
| S38 | 7 | S36 and calculat$3 with power with product with current with output voltage | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 14:36 |
| S39 | 10 | S36 and calculat$3 with command near2 power | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 15:26 |
| S40 | 11 | fuel cell and calculat$3 with command near2 power | EPO; JPO; DERWENT | ADJ | ON | 2009/05/20 16:30 |
| S41 | 6 | fuel cell and determin$3 with command near2 power | EPO; JPO; DERWENT | ADJ | ON | 2009/05/20 16:39 |
| S42 | 20 | S36 and determin$3 with command near2 power | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 16:45 |
| S44 | 0 | S36 and (calculat$3 or determin$3) with power with based on with current with (actual voltage or output voltage or detected voltage) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 17:00 |

| S45 | 84 | S36 and (calculat $3 or determin $3) with power with current with (actual voltage or output voltage or detected voltage) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 17:00 |
|-----|-----|-----|-----|-----|-----|-----|
| S46 | 1 | S36 and (calculat $3 or determin $3) with power with (target current or desired current or required current) with (actual voltage or output voltage or detected voltage) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 17:01 |
| S47 | 11 | S36 and (power command value or command output power) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/05/20 17:39 |

**5/21/2009 8:12:10 AM**
**C:\ Documents and Settings\ tchuo\ My Documents\ EAST\ Workspaces\ 10519472.wsp**